

Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.

62.61
SEASON 1925

Business Established 1855

PRICE LIST

FARM AND GARDEN SEEDS

J. & T. ADIKES

FULTON ST., JAMAICA, N. Y.

BROADWAY, ^{near Bridge} St. Station, FLUSHING, N. Y.

0018 Jamaica
1524 Jamaica

TELEPHONES 0118 Flushing
0398 Flushing

GENERAL DEALERS IN

HAY, FEED, FLOUR, OATS, POTATOES, ONIONS, SALT

SEED POTATOES, ONION SETS

POULTRY SUPPLIES AND REMEDIES

SHEEP MANURE, LAND LIME, BONE MEAL, HUMUS

FERTILIZER FOR ALL CROPS

LAWN GRASS SEEDS — Composed of a well-balanced formula of the very best seeds suitable for this section; will produce a perfect lawn of firm and elastic turf. Also special mixture for shady spots.

OTHER GRASS SEEDS — Timothy, Red Clover, White Clover, Alfalfa Clover, Alsike Clover, Blue Grass, Orchard Grass, Red Top Grass, Lawn Grass, Hungarian and Golden Millet, Permanent Grass Mixture, etc.

Full Line of Choice Flower Seed, Extra Fine Sweet Peas and Nasturtiums in Bulk.

TO SMALL GARDENERS AND BEGINNERS — Many times we hear the remark that there is no satisfaction in planting vegetable, lawn grass or other seeds, because they do not get good results. The trouble generally is **they do not get seeds suitable to the locality.** We have been supplying farmers all over Long Island, we know what seeds will give best results and are selling to gardeners the **very same seeds we sell to farmers in bulk.** Extra fine strains of **Sweet Peas** and **Nasturtiums** sold in bulk.

While we exercise the greatest care to have all seeds pure and reliable, we give no warranty, either expressed or implied, as to the description, quality, productiveness, or any other matter, of any seeds we send out and will not be in any way responsible for the crop. If the purchaser does not accept the seeds on these conditions they must be returned at once.—J. & T. Adikes.

PRICES SUBJECT TO CHANGE WITHOUT NOTICE

J. & T. ADIKES, JAMAICA AND FLUSHING

VARIETIES OF ASPARAGUS ROOTS

GREEN BEANS

As soon as the ground is warm and the season favorable, plant in rows 2 feet apart and the beans 2 inches apart and 2 inches deep in the rows.

	½lb	1 lb	2 lbs	5 lbs
Red Valentine20	.30	.50	1.10
Yellow Six Weeks....	.20	.30	.50	1.10
Horticultural (dwarf) .20	.30	.50	1.10	
Refugee (early)15	.25	.45	1.00
*Black Valentine25	.35	.60	1.25
Burpee's Stringless... .25	.35	.60	1.25	
Refugee, 1,000 to 1.. .20	.30	.50	1.10	
French Horticultural .25	.35	.60	1.25	
Bountiful Beans25	.35	.60	1.25
Mammoth Stringless .25	.35	.60	1.25	
White Navy10	.15	.25	.55
White Marrow10	.15	.25	.55

WAX BEANS

	½lb	1 lb	2 lbs	5 lbs
Rust Proof B. W.20	.35	.60	1.35
*Imp. Black Wax20	.35	.60	1.35
*Imp. Golden Wax....	.20	.35	.60	1.35
Prolific Black Wax.. .20	.35	.60	1.35	
*Weber Wax20	.35	.60	1.35
Golden Eye Wax20	.35	.60	1.35
White Kidney20	.35	.60	1.35
Sure Crop Black Wax .20	.35	.60	1.35	
Wardwell Wax20	.35	.60	1.35

BUSH LIMAS

As soon as the ground is warm and the season favorable, plant in rows 2 feet apart, and the beans 4 inches apart and 2 inches deep in the rows.

	½lb	1 lb	2 lbs	5 lbs
*Burpee's Bush Imp. .30	.45	.75	1.50	
Dreer's Bush Imp....	.30	.45	.75	1.50
Fordhook Bush Imp. .35	.55	.85	1.60	

POLE BEANS

Pole Beans require poles 8 to 10 feet long and should not be planted too early. Set the poles 4 feet apart each way, and plant 6 to 6 beans, about 1 inch deep, around each pole. Thin out to 3 plants to a pole.

	½lb	1 lb	2 lbs	5 lbs
Large White Lima....	.25	.40	.70	1.50
Improved Lima25	.40	.70	1.50
Potato Lima25	.40	.70	1.50
Old Homestead or Kentucky Wonder25	.35	.60	1.45
Scarlet Runner25	.40	.70	1.50
Yard Bean25	.35	.60	1.30

BEETS

A light, well enriched soil is the best suited for the beet culture. Sow in drills 1 foot apart and 1 inch deep, as early as the ground can be worked; when the plants are large enough thin out to stand 6 inches apart in rows.

	oz.	¼lb.	1 lb.
Egyptian Early15	.35	1.20
Detroit (dark red)15	.35	1.20
*Eclipse15	.30	1.10
*Dewing's Turnip15	.35	1.10
Long Red Dark (smooth) .15	.40	1.30	
½ Long Blood15	.40	1.30
(Mangle Beet under Mangle)			

BROCCOLI

	oz.	¼lb.	1 lb.
Seed45	1.25	4.50

CABBAGE

For early use sow in hot-beds or cold frames, transplanting to open ground when danger from killing frost is past, in rows 2 feet apart and 18 inches apart in the row. Later sow in shallow drills 3 or 4 inches apart, transplanting in rows 2½ feet apart and 2 feet apart in the row.

	oz.	¼lb.	1 lb.
Early Jersey Wakefield..	.45	1.60	5.25
Charleston Lg. Wake'd .45	1.60	5.25	
*Early Flat Dutch45	1.60	5.25
Large Late Flat Dutch.. .45	1.60	5.25	
Drumhead Savoy50	1.85	5.50
Large Red Rock50	1.85	5.50
Large Red Dutch50	1.85	5.50

*Popular Varieties.

	oz.	¼lb.	1 lb.
Copenhagen50	1.85	5.50
Pe Tsai Chin Cabbage.. .45	1.60	4.50	
Truckers Favorite70	2.00	6.00

CARROTS

	oz.	¼lb.	1 lb.
Early Horn15	.35	1.10
Oxhart15	.40	1.20
Chantenay ½ Long20	.45	1.25
Imp. Long Orange10	.30	.90
*Danver's Imp. ½ Long .15	.35	1.20	
Nantes15	.35	1.10

CUCUMBERS

Sow in the open ground as soon as warm weather is assured, in hills 4 feet apart, 8 to 12 seeds in a hill, and cover about one inch deep—firming the soil. When the fourth leaf appears thin to 3 plants to each hill.

	oz.	¼lb.	1 lb.
Boston Pickling15	.40	1.20
Long Green15	.40	1.30
Imp. White Spine15	.40	1.20
Japanese Climbing15	.40	1.20

CAULIFLOWER

	oz.
Early Snowball	3.00
Early Paris	2.00

Packages 25 cents

CORN

Sugar corn is liable to rot and should not be planted until the ground has become warm; for a succession, plant every two weeks, until the middle of July, in hills 3 feet apart each way, covering about half an inch deep, and thin out to 3 plants to a hill. The extra early varieties can be planted 18 inches in the row and 2½ feet between the rows.

	½lb.	1 lb.	2 lbs	5 lbs
*Golden Bantam15	.25	.45	1.00
*L. I. Beauty15	.25	.45	1.00
Country Gentleman.. .15	.25	.45	1.00	
White Corey15	.25	.45	1.00
Mammoth Early15	.25	.45	1.00
Mammoth Late15	.25	.45	1.00
Stowell's Evergreen.. .15	.25	.45	1.00	
Golden Evergreen .. .15	.25	.45	1.00	
Black Mexican Corn .15	.25	.45	1.00	
Sweet Fodder10	.15	.25	.50
White Flint10	.15	.25	.50
Yellow Flint10	.15	.25	.50

CELERY

Sow early in an open border, in shallow drills, and water freely in dry weather. Rolling or pressing the seed in the soil is more satisfactory than covering. When the plants are 5 to 6 inches high, transplant in rows 3 to 4 feet apart; plant 6 inches apart in the row. Cultivate well, and when large enough, blanch by earthing up. To make the plants stocky, cut the tops off once or twice.

	oz.	¼lb.	1 lb.
Gold Self Branch95	2.50	7.00
Imp. French Gold Self			
Blanch	1.10	3.00	8.00
White Plume30	1.00	3.50
Celeriac30	1.00	3.00
Cutting Celery15	.50	1.50
Dwarf Golden Heart....	.35	1.25	3.50
Giant Pascal30	1.00	3.00

CRESS15	.40	1.20
CHERVIL25	.85	3.00

Small Packages 10 cents

DANDELION

	oz.	¼lb.	1 lb.
Imp. Large Leaf	1.10	3.00	9.00
Common75	2.00	7.00

Small Packages 10 cents

*Popular Varieties.

DILL

	oz.	¼lb.	1 lb.
Mammoth10	.30	.90

ENDIVE-ESCAROLE

Sow in shallow drills in April for early use or late use in June or July. When 2 or 3 inches high, transplant into good ground or thin out to 1 foot apart. When nearly full grown, and before they are fit for the table, they must be bleached. The plants will bleach in three or four weeks, if covered with boards or slats.

	oz.	¼lb.	1 lb.
White Curled15	.40	1.25
Green Curled15	.40	1.25
Broad-Leafed Batavian..	.15	.45	1.50
French (witlof)			

Chicory20	.45	1.50
---------------	-----	-----	------

Small Packages 10 cents

EGG PLANT

Sow in hotbeds early in March. When 2 inches high put the young plants so that they may become stocky. Plant out when the season has become warm, about 3 feet apart each way. Draw the earth up to the stems when about a foot high.

	oz.	¼lb.	1 lb.
Long Purple70	2.00	6.00
N. Y. Imp. Spineless....	.70	2.00	6.00
Black Beauty70	2.00	6.00

Small Packages 10 cents

FENNEL

	oz.	¼lb.	1 lb.
Florence or Naples20	.70	2.25

Small Packages 10 cents

FETTICUS OR CORN SALAD

Sow in spring in drills 1 foot apart. It will mature in six or eight weeks. For winter and early spring use, sow in drills in August and September.

	oz.	¼lb.	1 lb.
Large Seeded Feticus.. .15	.45	1.40	
Large Chicory15	.50	1.50

HERBS

	oz.	¼lb.
Borage20	.50
Summer Savory20	.60
Sage55	1.75
Fennel Florence20	.70
Thyme65	1.95
Coriander20	.55
Sweet Marjoram35	1.10
Lavender35	1.00
Mustard15	.30

KALE

The Kales are more hardy than Cabbage, make excellent green for winter and spring use, and are improved by frost. Sow in May and cultivate the same as Cabbage. For early spring use sow in September and protect during winter. Do not handle while in a frozen condition.

	oz.	¼lb.	1 lb.
Half Dwarf Scotch Green			
Curled15	.45	1.50
*German Green of Sprouts			
Dwarf15	.45	1.50
Sprouts Home Grown....	.15	.45	1.50
Brown15	.45	1.50

Small Packages 10 cents

KOHL RABI

Kohl Rabi is a vegetable intermediate between the Cabbage and Turnip. It is hardy, withstands drought and is a good keeper. Sow in spring in rows 18 inches apart and thin out to 10 inches in the row. In hoeing be careful not to get the earth into the heart of the plant.

	oz.	¼lb.	1 lb.
Large Purple35	.95	3.00
White Vienna35	.95	3.00

Small Packages 10 cents

LEEK

	oz.	¼lb.	1 lb.
Carvetian or Large Musselburgh25	.75	2.00
American Broad Flag.. .25	.85	2.75	

*Popular Varieties.

J. & T. ADIKES, JAMAICA AND FLUSHING

LETTUCE

Lettuce can be sown almost any time of the year. For successive crops, sow in the open ground as early in the spring as possible and continue until July. Always thin out well or the plants will not be strong. When wanted for salad sow thick in rows or broadcast.

	oz.	¼lb.	1 lb.
Curled Simpson15	.40	1.25
*Boston Market30	.75	2.25
Hanson20	.50	1.45
Black Seed Butter15	.40	1.25
Salmander15	.35	1.25
Big Boston20	.50	1.50
*Paris White Cos or			
Romaine25	.50	1.50
May King15	.45	1.50
Crisp as Ice25	.55	2.00
Iceberg25	.55	2.00

WATER MELON

	oz.	¼lb.	1 lb.
Mountain Sweet15	.35	1.00
Cole's Early15	.35	1.00

MUSK MELON

	oz.	¼lb.	1 lb.
Rocky Ford20	.50	1.50
Hackensack20	.50	1.50

CITRON MELON

	oz.	¼lb.	1 lb.
Red Seeded10	.35	1.00
Green Seeded10	.35	1.00

MANGLE

	oz.	¼lb.	1 lb.
White Sugar10	.30	.90
Long Red Mangle10	.30	.90
Yellow Globe Mangle....	.10	.30	.90
Golden Tankard10	.30	.90

ONIONS

For sets, sow as early in the spring as possible, very thickly in drills. As soon as the tops die off remove them to a dry airy place. For large onions the first season, sow thinly in drills 1 foot apart, and about ¼ inch deep; thin out to stand 3 or 4 inches apart in the drills.

	oz.	¼lb.	1 lb.
Yellow Globe (Danvers) ..	.25	.75	2.00
*Yellow Danvers (Flat) ..	.20	.60	1.75
White Globe35	.95	3.25
White Portugal35	.95	3.00
Red Globe30	.90	2.00
Prize Taker25	.75	2.10
New Queen Pickling....	.40	1.00	3.50
*L'g Red Wethersfield..	.20	.60	2.00

ONION SETS

Ask for prices. White, Red and Yellow

OKRA

	oz.	¼lb.	1 lb.
Dwarf Green10	.30	.90
Tall10	.30	.90

PEPPER

The seed should be sown in a hotbed or greenhouse in March or early April, and when about an inch high, pot in 2-inch pots. Plant out about June 1st, 2½ feet apart.

	oz.	¼lb.	1 lb.
Long Red Cayenne50	1.50	
Large Bull-nose Red60	1.80	
*Sweet Mountain60	1.80	
Neapolitan55	1.70	
Ruby King60	1.80	
Red Chili60	1.80	

PARSNIP

Sow as early in spring as weather will permit, in drills 18 inches apart, covering half an inch deep. When well up thin to 5 to 6 inches apart in the row.

	oz.	¼lb.	1 lb.
Hollow Crown15	.35	1.10
Guernsey15	.35	1.10
*Popular Varieties.			

PEAS

Sow as soon as danger of frost is over in drills 3 or 4 inches deep, using one quart to 100 feet of drill; rows 2½ to 3 feet apart. A good way is to sow in double drills 6 or 8 inches apart, one inch apart in the drill. Smooth varieties should be sown first; wrinkled varieties later after the ground has become warm as they are more liable to rot. Late varieties should be planted 5 to 6 inches deep.

	oz.	¼lb.	1 lb.	2 lbs.	5 lbs.
*Alaska15	.25	.45	.95	
Telephone20	.30	.50	1.15	
Nott's Excelsior....	.20	.30	.50	1.15	
Premium Gem20	.30	.50	1.15	
*Market Garden..	.20	.30	.50	1.15	
First and Best20	.30	.45	1.10	
Advancer20	.30	.45	1.10	
L. I. Mammoth....	.20	.30	.45	1.10	
Thomas Laxton ..	.20	.35	.60	1.25	
Gradus20	.35	.60	1.25	
Little Marvel20	.35	.60	1.25	

PARSLEY

Parsley succeeds best in a mellow rich soil. Sow thickly in April in rows 1 foot apart and ½ inch deep. Thin out the plants to stand 6 inches apart in the row. The seed is slow to germinate, soak a few hours in warm water before sowing.

	oz.	¼lb.	1 lb.
*Doubled Curled15	.40	1.25
Hamburg or Parsnip Rooted			
Hymershia15	.40	1.25
Italian15	.40	1.25

PUMPKIN

Plant any time after the ground has become warm, 4 to 8 seeds to the hill; hills about 8 feet apart each way. Do not plant near other vine crops; they can also be planted with corn after the last hoeing.

	oz.	¼lb.	1 lb.
Large Cheese15	.40	1.15

RADISH

Radishes thrive best in light, rich, mellow soil. Sow in drills 10 inches apart and thin to 2 inches in the rows. For a succession sow at intervals of two or three weeks until September. Sow winter varieties in July and August.

	oz.	¼lb.	1 lb.
Early Scarlet Turnip,			
White Tipped Forcing ..	.15	.35	1.10
White Summer15	.35	1.10
French Breakfast15	.35	1.00
Icele15	.35	1.00
Round Black Fall Span..	.15	.35	1.10
Long Black Spanish.....	.15	.35	1.10

SQUASH

Plant in warm, rich, light soil, after the weather has become warm. Plant in hills 3 or 4 feet apart each way—the running varieties 6 to 8 feet. Elight to ten seeds should be sown in each hill, thinning out after they have attained their rough leaves to 3 or 4 plants to the hill.

	oz.	¼lb.	1 lb.
White Bush20	.50	1.25
White Scallop20	.50	1.25
Hubbard20	.50	1.50
Italian Squash Coco			
Zelle20	.50	1.45
Crookneck20	.50	1.50
*Boston Marrow15	.40	1.10
Golden Hubbard20	.50	1.45

SORREL

	oz.	¼lb.	1 lb.
Sorrel20	.65	2.25
*Popular Varieties.			

SPINACH

Spinach is an important market gardener's crop of easy culture. For spring and summer use sow either broadcast or in drills 1 foot apart and 1 inch deep, as early as the ground can be worked, and every two weeks for a succession. For winter and early spring use, sow in September in well manured ground; cover with straw on the approach of severe cold weather.

	oz.	¼lb.	1 lb.
Victoria10	.20	.45
New Zealand15	.35	.90
Early Giant Thick Leaf ..	.10	.20	.45
Long Standing10	.25	.50
*Savoy-Leafed10	.20	.45
Swiss Chard15	.35	1.00
Salsify or Oyster Plant,			
Sandwich Island25	.80	2.25

SPROUTS

	oz.	¼lb.	1 lb.
Dwarf Brussels30	.85	2.90
*Early Green Curled....	.25	.70	1.95
Late Green25	.70	2.00

Small Packages 10 cents

TOMATO

For early plant sow in hot-beds early in March; when 2 inches high transplant 4 inches apart each way; plant in the open ground as soon as danger of frost is over—hills 4 feet apart each way.

	oz.	¼lb.	1 lb.
Spark's Earliana45	1.45	4.25
Perfection45	1.45	4.00
New Stone40	1.25	4.25
Favorite40	1.25	4.00
Ponderosa60	1.75	5.50
John Baer40	1.25	4.00
Early June Pink50	1.50	4.50
Red Plum50	1.50	4.50
Yellow Plum50	1.50	4.50

TURNIP

For early use sow as soon as the ground can be worked in the Spring, in drills fourteen inches apart—Ruta Bagas thirty inches; thin the early varieties to 4 to 5 inches in the row—Ruta Bagas to 12 inches.

	oz.	¼lb.	1 lb.
Red Top White Globe			
L. I. Strain15	.40	1.20
Ruta Baga L. I. Strain..	.15	.40	1.20
White Globe Purple Top ..	.15	.40	1.20

FLOWERS

Asters

	Pkg.	¼oz.	1 oz.
Mixed10	.30	.90
Red, White10	.30	.95
Ping, Crimson10	.30	.95

Cosmos

	Pkg.	¼oz.	1 oz.
White05	.15	.45
Pink, Crimson05	.15	.40

Morning Glory

	Pkg.	1 oz.
Seed05	.25

Nasturtium

	Pkg.	1 oz.	¼lb.
Tall05	.15	.40
Dwarf05	.20	.45

Pansies

	Pkg.	¾oz.	1 oz.
Mixed10	1.25	3.35

Sweet Peas

	Pkg.	1 oz.	¼lb.
Mixed10	.25	.85

Salvia

	Pkg.	¼oz.	1 oz.
Spendens10	.60	1.90

*Popular Varieties.

FERTILIZERS

Your Flower and Vegetable Garden needs proper Fertilization to produce the best results. Our seedsmen will be pleased to advise the best kind for your individual use. J. & T. Adikes Fertilizers are especially chosen for local conditions and have given results to Farmers and Gardeners for years.

Nitrate of Soda
Ground Bone
Phosphate

Stimulant
Land Lime
Humus
Hardwood Ashes

Sheep Manure
Fertilizer
Potash-Marl

INSECTICIDES

There are Insecticides and Fungicides for all Plant Diseases and Insects. To insure Remedy and Cure the Gardener must apply the right one. We carry a complete line of Insecticides and Fungicides and will advise on their uses.

Paris Green
Arsenate of Lead
Bordeaux Mixture
Nicotine
Helebore
Melrosine

Slug Shot
Lime Sulphur
Krystal Gas
Carbola
Scalecide
Sulfocide

Pyrox
Black Leaf 40
Tobacco Dust
Lice Powder
Grape Dust
Fly-O-San

Inspect our Sprayers — Built of best materials and of best workmanship.

LAWNS

A fine lawn depends upon good seed and proper application of Fertilizers. Our Lawn Grass Seed has grown beautiful lawns for many years.

PLANTS

An easy and sure way of growing fresh vegetables. Our plants have been grown from tested seed and have had the proper care, which insures best results. Celery, Cabbage, Tomato and other plants in season.

NOTICE!

Telephone and Mail Orders receive our most careful attention.

POULTRY SUPPLIES

Real Egg Mash
Chick Feed
Scratch Feed

Founts and Feeders
Oat Sprouters

Pratt's Remedies
Buttermilk Feed
Ful-o-Pep Feeds

J. & T. ADIKES

FULTON ST., JAMAICA, N. Y.

BROADWAY, ^{near Bridge} St. Station, FLUSHING, N. Y.

0018 Jamaica
1524 Jamaica

TELEPHONES 0118 Flushing
0398 Flushing